NIB-100 Inverted Biological Microscope



- ·Excellent Optical Function with Infinitive Optical System.
- ·Innovative Stand structure, Sharp Image Display, Convenient and Special for Viewing Incubating Cell Tissue.

Features:

| | With LWD Infinitive Plan Objective, Making Viewing Field Flatter and Brighter, Contrast Sharper, Living Cell Observing easier |
|-----|---|
| | Advanced and Reliable Mechanical Stage with Knob Height and Tightness Adjustable |
| 000 | Different Holders for Various Observations |
| | With pre-centerable Phase Annulus, Available to Observe Low Contrast or Transparent Specimens |

Specification:

| | | | NIB- 100 |
|---------------|---|-----------------------|-------------|
| Viewing Head | Trinocular Head Inclined at 300, Interpupillary Distance 48-75mm | | |
| Eyepiece | High-point, Extra Wide Field Eyepiece EW10×/ 22 | | |
| | LWD Infinite Plan Objective | 4×/ 0.1, WD 17.3mm | • |
| | | 10×/ 0.25, WD 10mm | 0 |
| | | 20×/ 0.4, WD 5.1mm | 0 |
| Objective | | 40×/ 0.6, WD 2.1mm | • |
| | Infinite Plan Phase Objective | PH10×/ 0.25, WD 10 mm | • |
| | | PH20×/ 0.4, WD 5.1mm | • |
| | | PH40×/ 0.65, WD 2.1mm | 0 |
| Nosepiece | Quintuple Nosepiece | | • |
| Condenser | ELWD Condenser NA 0.3, LWD 72mm (Without Condenser 150mm) | | • |
| Centering | Centering Telescope (Ф30MM) | | 0 |
| Phase Annulus | 10×-20×, 40× Phase Annulus Plate | | |
| | 10×-20×, 40× Phase Annulus Plate | | |
| | Plain Stage 160×250mm | | |
| | Glass Insert | | |
| | Attachable Mechanical Stage, X-Y Coaxial Control, Moving Rang120×78mm | | |
| Stage | High-point, Extra Wide Field Eyepiece EW10×/ 22 LWD Infinite Plan Objective LWD Infinite Plan Objective LWD Infinite Plan Objective LWD Infinite Plan Objective LWD Infinite Plan Phase Objective Infinite Plan Phase Objective PH10×/ 0.25, WD 10 mm PH20×/ 0.4, WD 5.1mm PH40×/ 0.65, WD 2.1mm PH20×/ 0.4, WD 5.1mm PH40×/ 0.65, WD 2.1mm Centering Telescope (Φ30MM) 10×-20×, 40× Phase Annulus Plate 10×-20×, 40× Phase Annulus Plate Plain Stage 160×250mm Glass Insert Attachable Mechanical Stage, X-Y Coaxial Control, Moving Rang120×78mm Auxiliary Stages70×180mm Terasaki Holder Φ54mm Slide Glass Holder Coaxial Coarse and Fine Adjustment, Vertical Objective Movement Coarse Stroke 37.7mm per Rotation, Fine Stroke 0.2mm per Rotation Halogen Lamp 6V/ 30W LED Diameter 45mm, Blue, Green and Ground Glass | • | |
| | • | | |
| Stage | | | |
| | Φ54mm Slide Glass Holder | | |
| Focusing | | | • |
| Illumination | Halogen Lamp 6V/ 30W | | |
| | LED | | |
| Filter | Diameter 45mm, Blue, Green and Ground Glass | | |
| Photo | | | 0 |
| Attachment | | | U |
| Video Adapter | Video Adapter with C Mount | | |

Note: ullet Standard Outfit, \circ Optional