

RC-1 DISSOLUTION TESTER



RC-1 DISSOLUTION TESTER

RC series of instruments are used for detecting velocity and extent of pharmic dissolution from the tablet, capsule etc in prescriptive menstruum.

Applicable standards:

National standard(Chinese Codex) /2015

Corporate standard(Dissolution tester)Q/12XQ0187-2010

Features:

It has one vessel and one pole arranged on one line.

The head part of the instrument can be artificially turned over smoothly and flexibly.

The basket units and paddle units are made of imported stainless steel (SUS316L).

The magnetism-pumped circular water current can heat the system evenly, and the bath liquid can achieve an equal temperature.

A MPU is used in dissolution tester to automatically control the temperature, rotational speed and time, and the parameters can be preset at any time.

It can be operated conveniently by keystroke. The measurement result is displayed by LED. The preset and real data can be displayed alternately in time.

Automation: auto-test, auto-diagnose, auto-alarm.

Specifications:

Speed range: (20~200)rpm

Speed accuracy: ± 2 rpm

Temperature range ambient to: $+45.0^{\circ}\text{C}$

Temperature Stability: $\pm 0.3^{\circ}\text{C}$

Preset timing nine points: (5~900)min

Time accuracy: $\pm 0.3\%$

Paddle radial run-out: ± 0.5 mm

Basket radial run-out: ± 1.0 mm

Power: 220V/50Hz/600W or 110V/60Hz/600W

Dimension: (260*300*480)mm³